


We've joined forces!



1-800-433-2212
www.bluffmanufacturing.com

1-800-445-5681
www.wescomfg.com



....working together.



INTEGRATED WAREHOUSE SOLUTIONS™ represents the coming together of quality known brands within the material handling industry to serve the needs of our customers and prospects on an international basis. Two of these quality brands are Bluff® Manufacturing and Wesco® Industrial Products. As a solutions provider, our goal is to create, manufacture and market products that exceed your expectation. Our products focus on making the work environment both safer and more efficient. As you evaluate your material handling needs, we will strive to earn your business with quality workmanship and the dedication of our associates. Check out our other brands, like Nordock®, on our www.iwsolutions.com website.

BLUFF® MANUFACTURING is the innovative leader in the fabrication and design of high-quality dock and warehouse equipment. For over 80 years, Bluff Manufacturing has been the top national provider of steel and aluminum dock boards and plates, edge of dock levelers, portable yard ramps, mezzanines, carts and warehouse safety equipment.

WESCO® INDUSTRIAL PRODUCTS is a full line manufacturer and distributor of a wide range of standard and custom products. Material handling professionals have relied on the quality and durability of WESCO's products for over 70 years. WESCO's primary lines include drum handling, hand trucks and carts, lift equipment as well as a variety of associated dock and material handling products.

The following pages represent these two quality companies working together with SMO Catalog Marketing to ensure that you have the best warehouse and material handling equipment at your fingertip.

TO ORDER:



1-800-433-2212

www.bluffmanufacturing.com



1-800-445-5681

www.wescomfg.com

**AS SEEN
IN THE
SMO CATALOG**

CLIMBING HAND TRUCKS



Power LiftKar HD Stairclimbing Trucks

- 725 lb. high capacity models.

This truck features an innovative edge-of-step braking system that automatically applies brake when wheels are at edge of step helping to prevent loss of load control caused by accidental rolling down steps. 24V quick-change battery pack. Includes battery, charger and a 137" x 2" cargo belt. Noseplate measures 21"W x 7"D. -- call for additional noseplate sizes. Two climbing speeds: 6 steps/minute or 10 steps/minute. Optional Snap-on toe plate equipped with four dual casters provides additional cargo space and the ability to move loads without tilting truck. FOB Shipping Point.

Uni...Straight frame.

Fold...upper handle angle can be adjusted. Best for copiers, safes, heavy motors or any short and heavy load which would require the user to pull the load back to a very low position for proper balance.

Extended Fold...same advantage as Fold but with an extra 7" in height and fold-out wheel carriage.

POWER LIFTKAR HD STAIRCLIMBING TRUCKS				
Product No.	Description	Overall Size W x H x D	Wt. (lbs.)	Price Ea.
H274100	Uni	22 x 63 x 19"	96	\$6,189.98
H274101	Fold	22 x 47/63 x 19"	97	6,509.88
H274238	Extended Fold	22 x 53.5/70 x 21.3"	105	8,310.26

H274103 Optional Snap-on toe plate (24"W. x 14"D.) Wt. 12 (lbs). Price Ea \$512.50
H274116 Battery Pack fits all LiftKar models. Wt. 9.5 (lbs). Price Ea \$299.47



H274103 Optional Snap-on Toe Plate w/4 Dual Casters

Power LiftKar SAL Stairclimbing Trucks

- Climbs up to 48 steps per minute.

Dual speed control on all models to fit your application. Quick change battery and charger included. Pivoting and fixed handle configurations available to handle a wide variety of cargo. All models include charger, battery and 56" cargo strap. 1 year warranty on parts against defects in materials and workmanship, 6 month warranty on battery. FOB Shipping Point.



Fold Frame

Ergo Frame

Uni Frame

POWER LIFTKAR SAL STAIRCLIMBING TRUCKS						
Product No.	Frame	Cap. (lbs.)	Wheel Type	Steps Per Minute	Wt. (lbs.)	Price Ea.
WITH G GROOVED TOE PLATE 16.5"W x 13.4"D						
H274241	Fold 300	300	Pneumatic	35	46.8	\$4,414.61
H274242	Ergo 240	240	Pneumatic	48	47.3	4,036.11
H274243	Ergo 375	375	Microcellular	29	47.3	4,527.85
H274244	Uni 375	375	Microcellular	29	46.4	4,450.50
WITH GS-NG SMOOTH TOE PLATE 18.7"W x 9.4"D						
H274252	Fold 300	300	Pneumatic	35	46.3	4,409.10
H274253	Ergo 240	240	Pneumatic	48	46.8	4,030.60
H274254	Ergo 375	375	Microcellular	29	46.8	4,522.34
H274255	Uni 375	375	Microcellular	29	45.9	4,444.94

H274116 Battery Pack fits all LiftKar models. Wt. 9.5 (lbs). Price Ea \$299.47

Wesco® 4-Wheel Nose Truck

- Rear caster allows small diameter turns in tight areas.

Combination 2 handle and utility bar handle for maximum handling flexibility. Distribution of load over 4 wheels improves load control. All wheels have ball bearings. Overall size 47.5"H. x 20.5"W. 8"D. nose plate. 800 lb. load capacity. Front wheels are 10" x 2.75"

Semi-Pneumatic. Rear wheels are 4" x 1.25"

Poly/swivel casters. FOB Shipping Point.

H186-ZC Wt. 53 (lbs.) Price Ea. \$259.14



Vertical - 2 Wheel

45° - 4 Wheel

4 Wheel Platform with Folding Nose Extension

Spartan III Hand Truck

- Value priced truck.
- Aluminum construction.

This truck has 3 positions: Vertical - 2 wheel, 45° - 4 wheel and 4 wheel Platform. 500 lb. capacity when used in 2 wheel and 45° - 4 wheel positions and 750 lb. capacity when used as a 4 wheel platform truck. Cast aluminum noseplate 18" x 7". Recessed folding nose extension 7"W. x 27"L. Handle height 48". FOB Shipping Point.

SPARTAN III HAND TRUCK				
Product No.	Frame Bed W x L	Wheel	Caster Size	Price Ea.
H270391	12 x 51"	10 x 3 1/2" Pneumatic	5" x 1.25" Swivel	\$291.48

Steel and aluminum surcharges may apply.

Wesco® Heavy-Duty Shovel Nose Trucks

- Built to handle loads up to 900 lbs.

Features 5-year weld guarantee. Made of 1" heavy-duty sch-40 pipe frame.

Features easy grip continuous handle frame for safe handling of heavy loads. 12" pneumatic wheels are ideal for outdoor construction sites. Shovel noseplate measures 13"D. x 17.5"W

-- .25" thick, tapered. Includes wheel guards. 3/4" axle. FOB Shipping Point.



HEAVY-DUTY SHOVEL NOSE TRUCK					
Product No.	Overall Size W x H	Cap. (lbs.)	Caster Size	Wt. (lbs.)	Price Ea.
HST2-HB	20.5 x 53"	900	8 x 2" Cast Iron Moldon Rubber	59.5	\$251.87
HST2-P12	20.5 x 53"	800	12" Pneumatic	61	313.97

**AS SEEN
IN THE
SMO CATALOG**

ALUMINUM HAND TRUCKS



Cobra Aluminum Convertible Hand Trucks

- Use as a hand truck or a platform truck.
- Tough, durable and lightweight aluminum construction.

Smooth and easy transition from the 2 to 4 wheeled position. Features 18"W. noseplate for large load handling. 4 rivets per cross brace for extra strength. Welded release pedal. Platform casters are non-marking 5" x 1.25" swivel. Ships KD, FOB Shipping Point.

Cobra Jr... Features dual hand grips for improved control. Includes 3 frame cross braces to help prevent package fall through.

Cobra Sr... Continuous handle allows multiple ways to control loads. 4 frame cross braces to help prevent package fall through.

Spartan Economy 2 In 1 Truck... Foot pedal release allows easy conversion from 2-wheel to 4-wheel position. 18"W. noseplate for large, bulky loads. Shipped KD in a box.

Spartan Jr... Includes 3 frame cross braces to help prevent package fall through.

Spartan Sr... Includes 5 frame cross braces to help prevent package fall through.

Product No.	COBRA ALUMINUM CONVERTIBLE HAND TRUCKS		Frame Bed W x H	Wt. (lbs.)	Price Ea.
	Wt. Cap. (lbs.)	Wheel Description			
	2 Wheels/4 Wheels	COBRA JR.			
HCBR-JR-T18-PWT	600/1200	10 x 3.5" Pneumatic	12 x 38"	39	\$415.54
HCBR-JR-T18-Z	600/1200	10 x 2.75" Semi-Pneumatic	12 x 38"	44	\$399.86
HCBR-JR-T18-Z2	600/1200	10 x 2.75" Solid Rubber	12 x 38"	43	\$406.74
		COBRA SR.			
HCBR-SR-T18-PWT	600/1200	10 x 3.5" Pneumatic	12 x 50.75"	43	\$430.46
HCBR-SR-T18-Z	600/1200	10 x 2.75" Semi-Pneumatic	12 x 50.75"	47.0	\$420.69
HCBR-SR-T18-Z2	600/1200	10 x 2.75" Solid Rubber	12 x 50.75"	46.0	\$425.70
		SPARTAN - IMPORTED			
HSPTN-JR-T18-PE	500/1000	10" Full Pneumatic	12 x 38	37.5	\$259.97
HSPTN-SR-T18-PE	500/1000	10" Full Pneumatic	12 x 50.75	41	\$268.97

Cobra-Lite Aluminum Hand Truck

- Quality light weight truck at an economical price.
- All aluminum construction for durable use.
- Ships KD and boxed. FOB Shipping Point.

Ltr. No.	Product No.	COBRA-LITE ALUMINUM HAND TRUCKS	Wheel Description	Size W x H	Wt. (lbs.)	Price Ea.
A	H410-T14-R3	500	8 x 1.625" Moldon Rubber	18 x 49"	19.5	\$161.30
B	H420-T14-P	500	10 x 3.5" Pneumatic	18 x 52"	21	\$174.16
C	H450-T14-R3	500	8 x 1.625" Moldon Rubber	18 x 49"	21	\$166.11
D	H470-T14-P	500	10 x 3.5" Pneumatic	18 x 52"	22.5	\$186.30
E	H450-T14-P	600	10 x 3.5" Pneumatic	18 x 49"	23	\$178.97

COBRA-LITE OPTIONS



Product No.	Description	Wt. (lbs.)	Price Ea.
H220351	Stair Climbers w/nylon glides	6	\$71.30
H220346	20"L. Folding Nose Plate	4	\$109.03
H220343	30"L. Folding Nose Plate	5	\$88.46
H220080	52" Top Frame Extension	2	\$55.03
H220081	60" Top Frame Extension	2	\$73.29



A) Continuous Handle

B) High Back Pin Handle w/Vinyl Grip

D) High Back Loop Handle

E) Twin Handle Style w/ Pneumatic Wheels


C) Twin Handle Style w/Vinyl Grips

Aluminum or steel surcharges may apply.

Superlite Folding Truck

- Great for travel, office, sports and other recreational activities.
- Lightweight aluminum or steel construction.

Features easy push button operation for quick set up. Pull down the noseplate and the wheels move into position. Space saving folding design - fits into small storage spaces or car trunks. Elastic straps for securing load. Rolls on non-marking shock absorbing rubber tread tires. Mini Mover fits into overhead airline compartments. FOB Shipping Point.



Mega Mover

Maxi Mover

Superlite

Mini Mover



Product No.	Description	Cap. (lbs.)	Extended Size H x W x D	SUPERLITE FOLDING TRUCKS		Nose Plate W x D	Wheel Size	Wt. (lbs.)	Price Ea.
				Folded Size H x W x D	Folded Size H x W x D				
H220646	Mini Mover - Alum.	110	41 x 15.5 x 17.5"	24 x 15.25 x 2"	15 x 12.5"	5 x 1.25"	7.25	\$83.70	
H220617	Superlite - Alum.	175	42 x 19 x 19"	29.5 x 19 x 2"	19 x 12"	7 x 1.5"	8.4	\$128.13	
H220649	Maxi Mover - Steel	250	42 x 19 x 19"	29.5 x 19 x 2"	19 x 12"	7 x 1.5"	12	\$134.87	
H220650	Mega Mover - Alum.	550	47 x 26.5 x 25.5"	34 x 23.5 x 4.75"	23.5 x 18"	8 x 2.5"	28.5	\$307.03	

APPLIANCE & VENDING MACHINE TRUCKS



Heavy Duty Vending Trucks

- 1,800 lb. capacity.
- Wheel lock feature standard.

Constructed of heavy duty 1" diameter steel tubing. Front wheels have wheel locks to allow truck to be placed in upright position without the danger of the truck rolling away from operator. In transport position. Frame has 10" x 2" poly hub wheels with two 5" poly hub moldon rubber front wheels. Rear main wheel design allows truck to be tilted back to clear doorways. Available in 72" and 78" heights. Two webbed cargo belts with auto-rewind ratchet or eccentric tighteners for maximum load security. Noseplate measures 9 x 24 x 1/4" thick. FOB Shipping Point.

Product No.	Cap. (lbs.)	HEAVY DUTY VENDING TRUCKS Ratchet System	Tightening Belt	Size Ht.	Wt. (lbs.)	Price Ea.
HHDSV-72	1,800	Auto Rewind	2 pc. w/clasp	72"	126	\$970.15
HHDSV-78	1,800	Auto Rewind	2 pc. w/clasp	78"	129	\$969.72



Steel and aluminum surcharges may apply.




Heavy Duty Auto Rewind Ratchet Appliance Truck with Swivel Casters

- 1,800 lb. capacity.
- Fingertip rear wheel carriage release lever.

Constructed of heavy duty 1" diameter steel tubing. Dynamic fulcrum system – fulcrum point changes as truck is tilted to decrease break-over effort. Conveniently located lever releases rear carriage and activates dynamic fulcrum system. 10" x 2" poly hub, moldon rubber main wheels, 6" rear swivel casters. Folding rear carriage allows truck to be used in 2-wheel or 4-wheel mode. Available in 72" and 78" heights. 2 webbed cargo belts with auto-rewind ratchet tighteners for maximum load security. Noseplate measures 5 x 24 x 1/4" thick. FOB Shipping Point.

Product No.	Cap. (lbs.)	HEAVY DUTY AUTO REWIND RATCHET APPLIANCE TRUCK WITH SWIVEL CASTERS Tightening Belt	Size Ht.	Wt. (lbs.)	Price Ea.
HWRV-MAX-72	1,800	2 pc. w/clasp	72"	120	\$1,076.52
HWRV-MAX-78	1,800	2 pc. w/clasp	78"	130	1,141.63



Economical Aluminum Appliance & Vending Trucks

- Trucks reduce the strain of balancing the cargo over long distances.
- Lightweight aluminum frame with auto rewind ratchet. HAAP-612 has double ratchet design for greater cargo security. HAFT-61 has four wheel kick-out design with 2 x 1" casters to support heavy loads and help reduce the strain of balancing the cargo over long distances. Overall size is 24"W x 12"D x 61"H. FOB Shipping Point.

Product No.	ECONOMICAL ALUMINUM APPLIANCE & VENDING TRUCKS Cap. (lbs.)	Wheels	Tightening Belt	Wt. (lbs.)	Price Ea.
HAAP-61	550	6 x 2"	2 pc. w/clasp	41	\$341.04
HAAP-612	550	6 x 2"	Double 2 pc. w/clasp	43	439.20
HAFT-61	550	6 x 2"	2 pc. w/clasp	50	391.99

Steel Appliance Truck

- Move heavy appliances easily.
- All joints double welded for maximum durability.

Rugged tubular steel construction stands up to hard work. Rolls smoothly on aluminum center moldon rubber wheels. FOB Shipping Point.



Steel Vending Machine Trucks

- Retractable moldon rubber casters help support loads.
- Improved kick-out design allows operator to kick-out wheels while keeping both hands on the truck.

Rolls on heavy duty 8" cast iron center moldon rubber wheels with roller bearings. FOB Shipping Point.



Product No.	Cap. (lbs.)	Wheels	STEEL APPLIANCE TRUCKS Ratchet System	Tightening Belt	Size W x H	Wt. (lbs.)	Price Ea.
HWRC	750	6"	Auto Rewind	2 pc. w/clasp	24 x 59"	52	\$311.40
HWRV-66	750	6"	Manual	1 piece	24 x 59"	52	311.27

Product No.	Cap. (lbs.)	Wheels	STEEL VENDING MACHINE TRUCKS Ratchet System	Tightening Belt	Size W x H	Wt. (lbs.)	Price Ea.
HWRV-60-EC	1200	8"	Manual	1 pc.	24 x 60"	83	470.31
HWRV-60	1200	8"	Auto Rewind	2 pc. w/clasp	24 x 60"	83	457.14
HWRV-66-EC	1200	8"	Manual	1 pc.	24 x 66"	86	471.86
HWRV-66	1200	8"	Auto Rewind	2 pc. w/clasp	24 x 66"	86	455.60
HWRV-72-EC	1200	8"	Manual	1 pc.	24 x 72"	95	493.59
HWRV-72	1200	8"	Auto Rewind	2 pc. w/clasp	24 x 72"	95	491.40

**AS SEEN
IN THE
SMO CATALOG**

PLATFORM TRUCKS



Thrifty Plate Aluminum Tread Platform Trucks

- Non-marking gray corner bumpers.

Structural capacity of any size platform not to exceed 2400 lbs. for Commercial Quality and 1200 lbs. for Light Duty.

Platforms and casters sold separately. Casters determine capacity. Each caster set includes 2 rigid and 2 swivel casters.

One handle included, extra handles available. FOB Shipping Point.



THRIFTY PLATE ALUMINUM TREAD PLATFORM COMMERCIAL				THRIFTY PLATE ALUMINUM TREAD PLATFORM LIGHT DUTY			
Size W x L	Product No.	Wt. (lbs.)	Price Ea.	Product No.	Wt. (lbs.)	Price Ea.	Product No.
24 x 36"	H273601	28	\$251.35	H273605	19	\$201.36	
24 x 48"	H273602	36	279.72	H273606	23	228.00	
30 x 48"	H273603	43	325.08	H273607	28	267.07	
30 x 60"	H273604	53	363.19	H273608	34	294.67	

EXTRA PUSH HANDLE FOR COMMERCIAL PLATFORM				EXTRA PUSH HANDLE FOR LIGHT DUTY PLATFORM			
Product No.	Fits Truck Width	Wt. (lbs.)	Price Ea.	Product No.	Fits Truck Width	Wt. (lbs.)	Price Ea.
H273609	24"	5	\$28.15	H273614	24"	5	\$25.44
H273610	30"	6	30.00	H273615	30"	6	27.60

CASTER SETS -- 2 SWIVEL, 2 RIGID						
Product No.	Caster Size	Caster Description	Cap. (lbs.) Set	Wt. (lbs.) Set	Price Set	Product No.
H273612	6 x 2"	Moldon Rubber Aluminum Hub	2000	26	\$84.00	
H273613	8 x 2"	Moldon Rubber Aluminum Hub	2400	28	108.00	
H272194	8 x 2.5"	Full Pneumatic Steel Plate Hub	1600	28	100.29	
H272195	10 x 3.5"	Full Pneumatic Steel Plate Hub	2500	37	100.54	


*Actual capacity of assembled platform is dependent upon caster capacity and should never exceed the platform's structural capacity.

Wesco® Steel Platform Trucks

- Features heavy-duty 12 ga. steel reinforced welded construction.

Rugged steel construction handles loads up to 4,000 lbs., depending on caster selection. Casters sold separately. Accepts both standard corner or diamond mount pattern. Corner sockets at both ends allow handles (One handle included) to be used at either or both ends - extra handles available. FOB Shipping Point.

STEEL PLATFORM TRUCKS (CASTERS SOLD SEPARATELY)				
Product No.	Size L x W	Cap. (lbs.)	Wt. (lbs.)	Price Ea.
H272266	36 x 24"	4000	54	\$187.59
H272267	48 x 24"	4000	65	191.00
H272268	54 x 27"	4000	82	231.17
H272269	48 x 30"	4000	115	257.99
H272270	60 x 30"	4000	132	333.26
H272271	60 x 36"	4000	111	286.27
H272272	72 x 36"	4000	127	324.13



CASTERS SETS -- 2 SWIVEL, 2 RIGID						
Product No.	Size	Caster Description	Cap. (lbs.) Set	Wt. (lbs.) Set	Price Ea.	Product No.
H272191	6 x 1.375"	Polyolefin	1600	25	\$27.46	
H272192	8 x 2"	Polyolefin	2500	31	75.86	
H272193	8 x 2"	Moldon Polyurethane on cast iron hub	4000	38	92.57	
H272194	8 x 2.5"	Full Pneumatic	1600	28	100.29	
H272195	10 x 3.5"	Full Pneumatic	2500	37	100.54	
H272201	5 x 2"	Moldon Rubber on cast iron hub	1600	32	70.59	
H272202	6 x 2"	Moldon Rubber on cast iron hub	1800	35	75.29	
H272203	8 x 2"	Moldon Rubber on cast iron hub	2200	40	85.70	

*Actual capacity of assembled truck is dependent upon caster capacity, not platform capacity.

EXTRA PUSH HANDLE			
Product No.	Fits Truck Width	Wt. (lbs.)	Price Ea.
H272197	24"	15	\$22.89
H272198	27"	16	21.54
H272199	30"	17	23.60
H272200	36"	19	25.27

Steel and aluminum surcharges may apply.

Economy Steel Platform Truck

Built for easy handling and value. Ships complete with platform, handle and 4 - 5" x 1.25" casters. Handles loads up to 750 lbs. Deck size 42" L. x 24" D. FOB Shipping Point.

H272265 Wt. 74 (lbs.) Price Ea. \$183.60



Polypropylene Service Carts

- Heavy-duty construction resists chips, dents, and rust.

This line of high quality, low priced, polypropylene service carts are available in two sizes with an optional third shelf. 550 lb capacity. Push handle has compartments to accommodate a variety of tools, labels, small parts and more. Includes 5" non-marking casters. Ships KD in box. FOB Shipping Point.



H270433



H270434 shown with Optional Middle Shelf

POLYPROPYLENE SERVICE CARTS			
Product No.	Description	Wt. (lbs.)	Price Ea.
H270433	30 x 16" 2-shelf Truck	37	\$152.56
H270453	30 x 16" Middle Shelf	10	45.84
H270434	36 x 24" 2-shelf Truck	50	192.73
H270454	36 x 24" Middle Shelf	15	72.84

Steel Folding Handle Trucks

Fold down handle for easy, space saving storage. Protective vinyl perimeter bumpers won't scratch walls or furniture. Non-skid heavy vinyl deck surface. Enameled finish. FOB Shipping Point.



STEEL FOLDING HANDLE TRUCKS					
Product No.	Deck Size W x L	Cap. (lbs.)	Caster Size	Wt. (lbs.)	Price Ea.
H272019	19 x 29"	400	4" Rubber	28	\$129.86
H272238	19 x 29"	275	4" Rubber	24	69.17
H272035	23 x 35"	600	5" Rubber	47	212.86
H272239	23 x 35"	400	5" Rubber	41	129.16
H272235	23 x 35"	600	8" Pneumatic	69	354.16

Casters are 2 swivel, 2 rigid.

Telescoping/Folding Aluminum Truck

Anti-impact, non skid polypropylene and aluminum deck. Deck extends from 21" to 29" with push button, for quick conversion. Non-marking 4" mold-on rubber casters, 2 swivel and 2 rigid. Sponge rubber coated handle. FOB Shipping Point.

TELESCOPING/FOLDING ALUMINUM TRUCK					
Product No.	Retracted Size	Extended Size	Cap. (lbs.)	Wt. (lbs.)	Price Ea.
H272048	17 1/2 x 21"	17 1/2 x 29"	330	19	\$195.89

Boxed and UPS shippable.



H272048 Shown Folded Down

STAINLESS STEEL & ALUMINUM DRUM HANDLING EQUIPMENT



Aluminum Drum Truck with Hand Brake

- Great for loading and moving steel, poly and fiber drums.

Chime hooks adjust for 30 and 55 gallon drums. Drum is held securely in place with standard spring loaded chime hooks that automatically engages closed head steel, fiber or poly drums. Rolls smoothly on 12" pneumatic front wheels and 6" mold-on rear wheels. Includes a disc wheel brake that is activated by a hand lever. 1,000 lb. weight capacity. Measures 25 1/2"W x 60"H x 18 1/2"D. FOB Shipping Point. H240120 Wt. 60 (lbs.) Price Ea. \$1,316.65



Steel and aluminum surcharges may apply.

Stainless Steel Drum Transporter/Lifter

- One year parts warranty.

Lifts, transports and places drums. Features durable 304 stainless steel hydraulic pump body, lift piston and floor lock. Spring-loaded jaws hold any 3/4" or higher drum rim. Operator does not need to touch drums to operate. Manual lock can be activated, if desired. Foot operated hydraulic pump raises drum and controls lowering speed. Comes standard with two rear 5 x 2" black phenolic wheels with 304 stainless roller bearings and two front swivel casters that feature 304 stainless bearings. This non-telescoping, single position outrigger handles most 30, 55 or 85 gallon steel, fiber and poly drums. Lift range: 26-73" at lifting clamp. FOB Shipping Point.



STAINLESS STEEL DRUM TRANSPORTER/LIFTER				
Product No.	Cap. (lbs.)	Rise/Stroke	Wt. (lbs.)	Price Ea.
H240240	800	1"	207	\$7,747.38

Stainless Steel Combination Drum and Hand Truck

- Popular frame that allows one or two hand controls.


Features a swept back continuous handle with a curved back design. Includes four horizontal cross straps and a vertical center strap that provides support for small packages. Rolls smoothly on non-marking 8 x 2" polyurethane tread on a polypropylene hub, non-marking wheels with stainless sealed 3/8" precision ball bearing hubs. 600 lbs. weight capacity. Measures 20 1/2"W. x 48"H. x 18 1/2"D. FOB Shipping Point. H210352 Wt. 34 (lbs.) Price Ea. \$1,178.50



Stainless Steel Universal Drum Lifter

- 304 Stainless Steel.


Unique design of this Stainless Steel Universal Drum Lifter allows for the loading or removal of drums into overpacks with the use of a hoist. Works on open and closed head standard steel or poly drums with a least a 3/8" chime. Lifting arms are adjustable to work with most 30 or 55 gallon drums. A three-point contact of the lifting arms prevent or minimizes deformation of the drum and provides more secure lifting. 1,000 lbs. capacity. FOB Shipping Point. H240063 Wt. 21 (lbs.) Price Ea. \$1,182.60



Stainless Steel Knockdown Drum Truck - US. Pat. No. 9,302,688

- UPSable - KD and boxed.
- Durable 304 Stainless Construction.
- Handles 30, 55 and 85 gallon drums.

Two models to choose from. H240019 handles steel drums and includes replaceable stainless milled toes. H240020 handles poly drums and includes replaceable stainless feet. Each model includes handle, frame, base, kickstand, axle, wheel and chime hook. H240020 also includes a stainless belt buckle. All parts are removable and interchangeable among all models. Rolls smoothly on 10" Polyolefin wheels. Foot operated break-over assist bar provides extra leverage to tilt and balance the load. Optional Third Wheel swivel caster allows your load to stand in a tilted position with an ergonomic design allowing for better load support. FOB Shipping Point.



STAINLESS STEEL KNOCKDOWN DRUM TRUCK					
Product No.	For Use With	Cap. (lbs.)	Belt	Wt. (lbs.)	Price Ea.
H240019	Steel Drums	1000	None	66	\$1,852.38
H240020	Poly Drums	1000	Stainless Buckle	75	1,823.24
H240211 Third Wheel Option Wt. 14 (lbs.) Price Ea. \$284.74					

Stainless Steel Drum Dollies

- Welded 304 Stainless steel construction.

By Wesco's stability advantage design, casters are mounted past the dolly and drum rim. Casters are mounted further apart than standard designs with casters completely underneath the drum and closer together. The further the casters are apart the greater the stability. Dollies are ideal for clean rooms, pharmaceutical, food, and wash down applications. Fits 30 gallon drums. Inside dimension measures 19". FOB Shipping Point.



STAINLESS STEEL DRUM DOLLIES				
Product No.	Caster Rig	Caster Description	Wt. (lbs.)	Price Ea.
H240192	4 Swivel, Zinc Plate	Hard Rubber	20	\$134.10
H240193	4 Swivel, Stainless	Hard Rubber	20	219.49
H240194	4 Swivel, Stainless	White Polypropylene	18	238.11

Heavy Duty Stainless Steel Faucet

- .75" NPT connection.
- PTFE gasket.


Adjustable shank designed to easily adjust to proper drain position after installing in drum. Made in Taiwan. FOB Shipping Point. H272038 Heavy Duty Stainless Faucet. Wt. 1.5 (lbs.) Price Ea. \$170.64



Stainless Steel Rotary Pump

- 304 Stainless steel pump body.

Made from corrosion resistant materials. 304 Stainless steel pump body, dispensing spout and three piece suction tube. PTFE vanes are compatible with solvents, oils and mild corrosive fluids. 2" NPT bung adapter fits 15, 30 and 55 gallon drums. Always use a ground wire. 40°F Minimum temperature rating and 140°F maximum. UPS shippable. Made in Taiwan. FOB Shipping Point. H272397 Stainless Steel Rotary Pump Wt. 13 (lbs.) Price Ea. \$389.00



AS SEEN
IN THE
SMO CATALOG

DRUM HANDLING EQUIPMENT




Steel Drum Trucks

- Made of industrial strength, heavy duty 1" structural pipe frames.
- All joints double welded.

All trucks can be stored in the upright position. Safe, one-man handling of heavy 55 gal. drums. Features vinyl hand grips. FOB Shipping Point.



H30BT Dispensing



A) H20BT



D) H15BT



F) H30BT

Steel surcharges may apply.

A) Floating Axle Ergonomic Drum Truck

Easiest drum truck for one person to handle. Floating axle reduces effort required to break over and balance the load. Chime hook can be stored at the top of frame. Self-standing. Replaceable hard double-beveled nose prongs.

A) FLOATING AXLE ERGONOMIC DRUM TRUCK					
Product No.	Cap. (lbs.)	Wheel Description	Overall Size W x H	Wt. (lbs.)	Price Ea.
H20BT	1000	10 x 2.5" moldon rubber	23.75 x 61"	74	\$373.31
H20BTW	1000	10 x 2.25" polyolefin	23.75 x 61"	59	\$328.57

B) Economy Series Drum Truck (not shown)

Affordable and durable. Angular steel base design. Kickstand. 24"W. at handle. 16.25"W. at nose.

B) ECONOMY SERIES					
Product No.	Cap. (lbs.)	Wheel Description	Overall Size W x H	Wt. (lbs.)	Price Ea.
H5BT	1000	10 x 2.5" moldon rubber	24.5 x 62"	68	\$275.27
H5BTW	1000	10 x 2.25" polyolefin	24.5 x 62"	53	\$238.57

C) Standard Series (not shown)

Machined steel load wheels behind nose prong help ease the lifting of drum. Classic single bar frame design. Kickstand. 24"W. at handle. 16.25"W. at nose.

C) STANDARD SERIES					
Product No.	Cap. (lbs.)	Wheel Description	Overall Size W x H	Wt. (lbs.)	Price Ea.
H10BT	1000	10 x 2.5" moldon rubber	24.5 x 62"	64	\$395.87
H10BTW	1000	10 x 2.25" polyolefin	24.5 x 62"	50	\$387.46

D) Deluxe Series

Four wheel design enable user to quickly and easily load and unload drums from pallet. Rear 6" wheels stabilize the load for effortless transport. Replaceable hard double-beveled nose prongs. Self-storing chime hook. Kickstand. 16.25"W. at nose.

D) DELUXE SERIES					
Product No.	Cap. (lbs.)	Wheel Description	Overall Size W x H	Wt. (lbs.)	Price Ea.
H15BT	1000	10 x 2.5" moldon rubber	24 x 60"	79	\$398.44
H15BTW	1000	10 x 2.25" polyolefin	24 x 60"	61	\$339.30

E) Ergonomic Drum Truck (not shown-similar to (D) but with rear swivel casters)

Ergonomic swivel caster design reduces operator muscle strain and fatigue. Swivel casters allow for smooth and tight turns in congested areas and provide 4 wheel support. Not recommended for use with pallets. Replaceable hard double-beveled nose prongs. Kickstand. 16.25"W. at nose. Capacity 1000 lbs. Wheels are 10 x 2.5" moldon rubber. Overall size 24"W x 60"H. H15BTC, Wt. 79 (lbs.), Price Ea. \$433.03

F) Drum Truck w/Drain Stand

Multi-functional drum truck allows four wheel drum handling and acts as a drum cradle for storage or dispensing. Frame clearance for dispensing into 5 gal. pails. Real axle allows for loading and unloading of drums from pallets. Kickstand. 16.5" drain height.

F) DRUM TRUCK W/DRAIN STAND					
Product No.	Cap. (lbs.)	Wheel Description	Overall Size W x H	Wt. (lbs.)	Price Ea.
H30BT	1000	10 x 2.5" moldon rubber	24 x 56.5"	82	\$314.43
H30BTW	1000	10 x 2.25" polyolefin	24 x 56.5"	66	\$260.56

Poly Drum Trucks

A) Standard Poly Drum Truck

Handles all poly and fiber drums except overpacks. Features replaceable "feet" and belt. Wide "feet" and belt eliminate the risk of drums being punctured by nose prongs and chime hooks. Floating axle reduces effort required to break over and balance the load. 23.5"D. Patented design. FOB Shipping Point. Handles all polydrums except overpacks. 6" x 1.5" rear wheel. Patented design. FOB Shipping Point.

A) STANDARD POLY TRUCK					
Product No.	Cap. (lbs.)	Wheel Description	Overall Size W x H	Wt. (lbs.)	Price Ea.
H40BT	1000	10 x 2.5" Moldon Rubber	23.5 x 59.5"	82	\$429.56
H40BTW	1000	10 x 2.25" Polyolefin	23.5 x 59.5"	67	\$384.56

B) Overpack Poly Drum Truck (not shown-similar in appearance to (A))

Recommended primarily for handling of 85 gallon overpacks. Long belt allows truck to handle all poly drums. Replaceable "feet" and belt. Wide "feet" and belt eliminate the risk of drums being punctured by nose prongs and chime hooks. Floating axle reduces effort required to break over and balance the load. 23.5"D. Patented design. FOB Shipping Point.

B) OVERPACK POLY TRUCK					
Product No.	Cap. (lbs.)	Wheel Description	Overall Size W x H	Wt. (lbs.)	Price Ea.
H45BT	1000	10 x 2.5" Moldon Rubber	23.5 x 59.5"	82	\$422.43
H45BTW	1000	10 x 2.25" Polyolefin	23.5 x 59.5"	67	\$397.54



C) H50BT



A) H40BT



A) H40BT

C) Poly Truck w/Drain Stand

Use as a poly drum truck and as a convenient drain stand. Wide "feet" and belt eliminate the risk of drums being punctured by nose prongs and chime hooks. Handles all polydrums except overpacks. 6" x 1.5" rear wheel. Patented design. FOB Shipping Point.

C) POLY TRUCK W/DRAIN STAND					
Product No.	Cap. (lbs.)	Wheel Description	Overall Size W x H	Wt. (lbs.)	Price Ea.
H50BT	1000	10 x 2.5" Moldon Rubber	23.75 x 58"	86	\$368.87
H50BTW	1000	10 x 2.25" Polyolefin	23.75 x 58"	65	\$300.86

DRUM HANDLING EQUIPMENT



PolyJaws Drum Grip

- Works on poly drums that have at least a 3/16" top lip.
- Fork truck driver does not have to leave cab to engage or disengage drum.

Handles most 55 and 30 gal. poly drums. 1000 lb. capacity. Ships KD and boxed via UPS. Fork pocket size 5.375" x 1.5". Orange in color. FOB Shipping Point.
HPJ Wt. 37.5 (lbs.) Price Ea. \$460.41



Combination Drum & Hand Truck

- Dual purpose truck can be used as a hand truck or drum truck.
- Chime hook works with 55 & 30 gal. drums. Curved frame accommodates 5 gal. pails and kegs.

Handles loads up to 800 lbs. Measures 19.75"W. x 48"H. x 15"D. FOB Shipping Point.
H156DH-Z 10" x 2.75" Semi-Pneumatic Tires. 700 lb. cap. Wt. 39 (lbs.) Price Ea. \$216.13
H156DH-HB 8" x 2" Moldon Rubber Tires. 800 lb. cap. Wt. 42.5 (lbs.) Price Ea. \$194.60



Steel or aluminum surcharges may apply.

Drum Grabs

- Features all welded steel construction for durability.
- The safe and cost effective way to move steel drums.

Non-Adjustable Drum Grabs...designed for use with 55 gal. steel drums. FOB Shipping Point.

Adjustable Drum Grabs...handles 55 or 30 gal. steel drums. Features replaceable cast pieces. FOB Shipping Point.



Product No.	DRUM GRABS NON-ADJUSTABLE		Fork Pocket ID	Wt. (lbs.)	Price Ea.
	Handles	Cap. (lbs.)			
HDJ-55	1-55 gal. drum	1500	5.5 x 2"	145	\$506.52
HDJ-255	2-55 gal. drums	1500	7 x 2.25"	230	\$877.44
ADJUSTABLE GRABS					
HADJ-53	1-55 gal., or 1-30 gal. drum	1500	5.5 x 2"	135	540.67

Gator Grip Drum Grab

- Exclusive patent Auto Grip Lock automatically locks the grip jaws closed. Won't drop drum, even over rough terrain.
- Can be used with steel, fiber and poly drums without having to make any adjustments.

Superior gripping action holds drums tight even over rough terrain. Handles drums up to 1,000 lbs per grip. Can be used with open or closed head drums. Allows lifting and placing drums in tight spots. Lifts drums from the top of center to minimize the risk of damage. Mounts easily on forks -- just hand tighten lock screws and no tools required. FOB Shipping Point.

HEGG-1 One Drum Capacity Wt. 126 (lbs.) Price Ea. \$818.87
HEGG-2 Two Drum Capacity. Wt. 208 (lbs.) Price Ea. \$1,443.16



Open Head Drum Lifter

- Works on open and closed head drums.
- For use with standard steel or poly drums with at least 3/8" chime. Lifting arms are adjustable to work with most 55 or 30 gallon drums. Three-point contact of the lifting arms prevents or minimizes deformation of the drum and provides more secure lifting. FOB Shipping Point.



Product No.	OPEN HEAD DRUM LIFTER		Wt. (lbs.)	Price Ea.
	Overall Size	Cap. (lbs.)		
H240038	29 1/2 x 5 1/2 x 29 1/2"	1000	18	\$206.30

Standard Drum Cradle

- Economical and convenient way to tip, drain and store 55 gal. drums.
- Simple and easy for one person to use.

Units available with 2.5" polyolefin wheels, self-storing load tipping lever and swivel casters. Shipped KD and boxed via UPS. Quick and easy to assemble. FOB Shipping Point.



Product No.	Cap. (lbs.)	DRUM CRADLES		Size L x W x H	Wt. (lbs.)	Price Ea.
		Wheel Position	Tipping Lever			
HCW-10	600	Inboard	Yes	32.5 x 19.5 x 15"	29	\$125.87
HCWO-10	600	Outboard	Yes	32.5 x 19.5 x 15"	32	\$128.44
HCWS-10	600	Inboard	Yes	32.5 x 19.5 x 15"	37	\$165.99

2 swivel casters

Value Grabs

- Durable construction features.
 - Economically priced.
- Lifts and moves steel drums up to 1000 lbs. FOB Shipping Point.



Product No.	VALUE GRABS SINGLE DRUM GRAB		Fork Pocket ID	Wt. (lbs.)	Price Ea.	
	Handles	Jaws				
HSVG-55	1-55 gal. drum	Non-adjustable	1000	5.5 x 2"	\$303.79	
HSAVG-53	1-55 gal., or 1-30 gal. drum	Adjustable	1000	5.5 x 2"	\$372.12	
DOUBLE DRUM GRAB						
HDVG-255	2-55 gal. drums	Non-adjustable	1000	7 x 2.25"	198	447.36
HDAVG-253	2-55 gal., or 2-30 gal. drums	Adjustable	1000	7 x 2.5"	194	525.31

**AS SEEN
IN THE
SMO CATALOG**

ERGONOMIC DRUM HANDLERS



Ergonomic Drum Handlers




- Exclusive patent-pending Auto Grip Lock automatically locks the grip jaws closed.
- The Auto Grip Lock won't open, even over rough terrain.

The ergonomic solution for lifting, transporting and placing drums on spill pallets. No need for the operator to touch the drum to raise, transport and lower. Features 1100 lb. capacity hydraulic jack for easy lifting of steel, poly and fiber drums -- lifts 1" per stroke. Spring loaded grip holds any rimmed drum. Handles most 30, 55 and 85 gal. drums. Ergonomic design allows drums to be easily raised 20" above the floor. Swivel 5" x 2" phenolic casters for easy movement. Choose from five models - Standard, High Reach, Scale, Power Lift and Power Lift & Drive. FOB Shipping Point.



ERGONOMIC DRUM HANDLER						
Product No.	Description	Min Lift Height	Max Lift Height	Cap. (lbs.)	Wt. (lbs.)	Price Ea.
H240150	Standard Handler	26"	54"	1100	356	\$2,906.64
H240154	High-Reach Handler	26"	73"	1100	376	3,669.84
H240155	Handler with Scale	26"	54"	1100	356	5,705.88
H240156	Handler with Power Lift	25"	73"	1100	531	5,712.00
H240157	Handler with Power Lift and Drive	25"	73"	1100	691	10,757.76



Steel surcharges may apply.

PALLET TRUCKS



Adjustable Width Pallet Truck

- Adjustable fork widths.
- Just loosen and reset front and rear adjusting bolts.

One truck does the work of two. Handles loads up to 5500 lbs. Features 3"W. polyurethane load wheels. Adjustable fork connecting rods. Overload bypass valve. Rubber coated handle. Entry and exit rollers. 7.5" raised height. 3" lowered height. 3" load wheels and 8" steering wheels -- both mold-on polyurethane. FOB Shipping Point.

H272744, 21 - 27" Adjustment, Wt. 200 (lbs.) Price Ea. \$559.44
H272746, 16 - 20" Adjustment, Wt. 176 (lbs.) Price Ea. \$647.23

CPI Pallet Truck

- Durable and affordable pallet truck.
- Features polyurethane load and steering wheels.
- 4mm thick forks.

Safely and easily lift and move pallets up to 5500 lbs. Features adjustable fork connecting rods. Overload bypass. Rubbercoated handle. 7.25" raised height. 2.9" lowered height. 6"W. forks. 2 year pump warranty. FOB Shipping Point.



Product No.	Cap. (lbs.)	CPI PALLET TRUCK Fork Size W x L	Wt. (lbs.)	Price Ea.
H272655	5500	21 x 36"	168	\$449.76
H272656	5500	21 x 42"	180	430.03
H272657	5500	21 x 48"	189	427.63
H272658	5500	27 x 36"	178	428.16
H272659	5500	27 x 42"	186	427.63
H272660	5500	27 x 48"	196	433.44

The Scale Truck

- 7" Wide Forks.
- 2 year pump warranty.

UL approved scale operates on a rechargeable battery. May be plugged into AC and used while recharging. Weighing accuracy of +/-4.4 lbs. Features a LED display scale and Mettler-Toledo Hawk scale/sensor. Three position hand control and 205° steering radius. 7" mold-on polyurethane steering wheels and 3" mold-on polyurethane load wheels. FOB Shipping Point.



Product No.	Cap. (lbs.)	SCALE TRUCK Fork Size W x L	Wt. (lbs.)	Price Ea.
H272936	5000	27.5 x 47.5"	336	\$2,123.35
H272938	5000	22.5 x 47.5"	314	2,123.35



CP3 Economy Pallet Truck

- 3mm thick forks.

Lifts loads up to 5,500 lbs. Features overload bypass, rubber coated handle, adjustable fork connecting rods, entry and exit rollers 7" mold-on polyurethane steering wheels, 210° steering. 6"W. forks. 7.25" raised height. 2.9" lowered height. FOB Shipping Point.

Product No.	Overall Size W x L x H	CP3 ECONOMY PALLET TRUCK Fork Size W x L	Wt. (lbs.)	Price Ea.
H273453	21 x 51 x 48 1/2"	21 x 36"	166	\$427.44
H273454	21 x 63 x 48 1/2"	21 x 48"	187	415.75
H273448	27 x 63 x 48 1/2"	27 x 48"	194	420.67

Manual High Lift Pallet Truck

- Lift 2200 lb. pallet loads up to 31.5' with ease.
- Features loop handle with inside hand control.

Rolls smoothly on mold-on polyurethane wheels. 180° steering arc. Closed pallets must be placed on top of forks. 3.6" lowered fork height. FOB Shipping Point.

H272462 Fork size: 21" x 44.5". Wt. 275 (lbs.) Price Ea. \$966.55
H272463 Fork size: 27" x 44.5". Wt. 300 (lbs.) Price Ea. \$934.99



Electric High Lift Pallet Truck

- Lift 3000 lb. loads up to 31' in 10-12 seconds.
- Includes 12V battery charger.

Ideal for work positioning stations. Smooth operating battery lifter makes short work of heavy loads. Easy one man operation saves time and effort.

Rolls smoothly on polyurethane wheels. 180° steering radius. 3.3" lowered height. Comfort coated handles. FOB Shipping Point.

H272939 Fork size: 21" x 45". Wt. 315 (lbs.) Price Ea. \$2,596.68
H272937 Fork size: 27" x 45". Wt. 322 (lbs.) Price Ea. \$2,675.04



Steel surcharges may apply.

AS SEEN
IN THE
SMO CATALOG

MANUAL & POWERED PALLET TRUCKS & PALLET LEVELER

4-Way Pallet Truck

- Enter pallet from all four sides.
- 3-year pump warranty.

Safely and easily lift and move pallets. Overload bypass, reinforced forks, rubber-coated handle measures 47" in height. 101° steering and can enter pallet from all four sides. Adjustable fork connecting rods, steel 1.7" load wheels and 6" polyurethane steering wheels. Lowered/raised fork height measures 13/4"/6". FOB Shipping Point.

Product No.	Cap. (lbs.)	4-WAY PALLET TRUCK Fork Area W x L	OA Truck Length	Wt. (lbs.)	Price Ea.
H273400	4,000	33 x 44"	59"	241	\$523.63



H273400

Pallet Truck with Hand Brake

- 2-year pump warranty.

Pallet truck has an automotive style drum brake, 6" wide forks, 7" moldon polyurethane steering wheels and 3" moldon polyurethane load wheels. Lowered/raised fork height measures 27/8"/71/8". FOB Shipping Point.

Product No.	Cap. (lbs.)	PALLET TRUCK WITH HAND BRAKE Fork Area W x L	OA Truck Length	Wt. (lbs.)	Price Ea.
H272667	5,500	27 x 48"	63"	215	\$475.75



H272667

Long Fork Pallet Truck

- 2-year pump warranty.

Overload bypass, rubber-coated handle, 7" moldon polyurethane steering wheels and 3" moldon polyurethane load wheels. 70" long forks. Lowered/raised fork height measures 31/4"/8". FOB Shipping Point.

Product No.	Cap. (lbs.)	LONG FORK PALLET TRUCK Fork Area W x L	Overall Height	Wt. (lbs.)	Price Ea.
H272701	4,400	27 x 70"	49"	308	\$592.92
H273519	4,400	27 x 78"	49"	320	642.55



H272701

Semi-Electric Pallet Truck

- 1-year pump warranty.

Manual lift with power drive. Lowered/raised fork height measures 37/8"/71/2". 10" polyurethane drive wheel, 3" polyurethane load wheels. Truck speed with load ranges from 1.6 - 2.4 mph. 24 volt 8 amp charger. FOB Shipping Point.

Product No.	Cap. (lbs.)	SEMI-ELECTRIC PALLET TRUCK Fork Area W x L	Overall Height	Wt. (lbs.)	Price Ea.
H273288	2,200	20 1/2 x 48"	48 1/2"	330	\$3,077.88
H273286	2,200	27 x 48"	48 1/2"	330	3,006.79



H273286

Pallet Leveler

- Reduce injury from bending and lifting.

The pallet leveler progressively lowers as pallet is loaded and raises as pallet is unloaded. Three heavy duty calibrated springs used in combination according to desired load range. Bearing supported carousel for easy turning. Built-in 53/4 x 39" fork pockets for ease of transport. FOB Shipping Point.



H272986

Product No.	Cap. (lbs.)	PALLET LEVELER Min./Max. Height	Rotating Ring Dia.	Load Size	Wt. (lbs.)	Price Ea.
H272986	400-4,500	9 1/2"/29"	43 1/2"	72 x 50 x 50"	354	\$2,151.46

Heavy Duty Deluxe Powered Pallet Truck

- 4,400 lb. capacity.
- 180 degree steering angle.

Same features as the Light Duty Pallet Truck. Features a two year warranty on the DC motor drive, hydraulic pump, controllers and switches. Ergonomic control handle with throttle forward and reverse speeds, lift and lower controls, horn and belly reverse safety button. Electromagnetic disc brake includes a dead-man feature when handle is released. Sold complete with a 24V 210 Ah battery and charger. Curtis Electronic Controls. FOB Shipping Point.



H273446

Product No.	Cap. (lbs.)	HEAVY DUTY DELUXE POWERED PALLET TRUCK Fork Area W x L	Overall Height	Overall Length	Wt. (lbs.)	Price Ea.
H273446	4,400	27 x 48"	50"	72"	1147	\$7,484.13

Heavy Duty Semi-Electric Pallet Truck

- 1-year pump warranty.

Manual lift. Lowered/raised fork height measures 37/8"/7". 71/4 x 2" polyurethane drive wheel and 3" polyurethane load wheels. 62" turning radius. Truck speed with load is 2.8 mph. 2 batteries - 24 volt 38Ah. 24 volt 8 amp charger. FOB Shipping Point.



H273289

Product No.	Cap. (lbs.)	HEAVY DUTY SEMI-ELECTRIC PALLET TRUCK Fork Area W x L	Overall Height	Wt. (lbs.)	Price Ea.
H273289	3,300	27 x 48"	54"	452	\$3,928.39

Steel surcharges may apply.

**AS SEEN
IN THE
SMO CATALOG**

LIFT HAND TRUCKS

Hydraulic Lift Hand Trucks

• **Dependable hydraulic lift system helps prevent muscle and back strain.**
Two & four wheel models. 2-wheel model features a noseplate that touches floor for easy loading. 4-wheel model provides full support and easy transport. Lift height of 54" gives plenty of clearance. 750 lbs. capacity. Wheel locks standard. FOB Shipping Point.

Product No.	HYDRAULIC LIFT HAND TRUCKS		Wt. (lbs.)	Price Ea.
	Platform Size W x D			
	2-WHEEL			
HPL-54-2222	22 x 22"		156	\$1,111.32
HPL-54-2230	30 x 22"		166	1,198.15
	4-WHEEL			
HDPL-54-2222	22 x 22"		162	1,193.23
HDPL-54-2230	30 x 22"		172	1,305.36



WESCO
Industrial Products, Inc.

MADE IN THE USA
OF U.S. AND IMPORTED PARTS

Lightweight Office Lifts

• **Ideal for lifting and transporting heavy boxes of paper, materials and more.**
Available in manual or battery powered models. Small footprint allows for easy storage and mobility. Electric model includes remote control and battery charger. 220 lbs. lift capacity. FOB Shipping Point.



Product No.	LIGHTWEIGHT OFFICE LIFTS		Wt. (lbs.)	Price Ea.
	Platform Size	Lift Height		
HMOL	18 x 23"	58.5"	104	\$552.86
HEOL	18 x 23"	66"	146	1,847.70

Furniture and Cargo Movers

• **Sold in pairs - ideal for moving crates, furniture and more.**
Available in manual or hydraulic models. Small footprint allows for easy storage and mobility. Included straps secure loads tightly. Sold in pairs. FOB Shipping Point.




Product No.	FURNITURE AND CARGO MOVERS			Price Per Pair
	Load Capacity	Wt. Per Pair (lbs.)		
HMFM	1320	55		\$636.43
HHFM	3950	190		884.57

Super Heavy-Duty Cargo Lifts

• **Capacities up to 10,000 lbs. provide the most economical way to lift and move large, bulky loads.**
Super Heavy-Duty Cargo Lifts are sold in pairs to facilitate lifting bulky loads from each end utilizing a heavy-duty hand operated hydraulic jack. Swivel casters allow movement in any direction. All models supplied with hooks for attaching recommended optional HLB-1 or HLB-2 load binders. Sold in pairs. FOB Shipping Point.



MADE IN THE USA
OF U.S. AND IMPORTED PARTS



HRNR-2 Shown Used With Optional Load Binder

Steel or aluminum surcharges may apply.

Product No.	SUPER HEAVY-DUTY CARGO LIFTS				Price Per Pair
	Lift Capacity (lbs.)	Lift Height	Caster	Wt. Per Pair (lbs.)	
HRNR-2	2000	5"	Steel	160	\$1,368.59
HRNR-2P	2000	5"	Poly	167	1,467.00
HRNR-4	4000	12"	Steel	315	1,823.60
HRNR-4P	4000	12"	Poly	313	1,938.03
HRNR-6	6000	6"	Steel	325	2,053.29
HRNR-6P	6000	6"	Poly	306	2,055.03
HRNR-64	6000	12"	Steel	359	2,138.27
HRNR-64P	6000	12"	Poly	359	2,578.24
HRNR-8	8000	6"	Steel	390	2,609.43
HRNR-8P	8000	6"	Poly	402	2,668.70
HRNR-10	10000	6"	Steel	480	2,656.07
HRNR-10P	10000	6"	Poly	475	2,770.46

Optional Load Binder

Two 12' long high strength nylon belts with heavy-duty ratchet tighteners. Highly recommended for stabilizing large, bulky loads. FOB Shipping Point.

HLB-1 Delta Ring Load Binder
Wt. 6 (lbs.) Price Ea. \$138.86
HLB-2 "E" Track Hook Load Binder
Wt. 7 (lbs.) Price Ea. \$142.59



**AS SEEN
IN THE
SMO CATALOG**

STACKERS AND LIFTS



Hydraulic Foot Pump Stackers

- Lift and transport 1000 lb. loads safely and efficiently.
- Floor locks, safety screen and foot guard standard.

Built and engineered for durable and superior performance. Forks touch the floor on all fork units. Front phenolic wheels are 5" dia. Rear phenolic swivel casters are 4" dia. Dependable hydraulic jack. FOB Shipping Point.

25" Long Fork Stackers
Forks measure 1" thick x 3"W. x 25"L. 25.5" overall width, 40"D.

24" x 24" Platform Stackers
Platforms have 5.75" lowered height. 25.5" overall width, 40"D.

30"L. Fork Stackers
Forks measure 1" thick x 3"W. x 30"L. 32" overall width 44"D.

30 x 32" Platform Stackers
Platforms have 5.75" lowered height. 32" overall width, 44"D.



HESPL-60-2424

HESFL-56-305

Product No.	Cap. (lbs.)	HYDRAULIC FOOT PUMP STACKERS			Wt. (lbs.)	Price Ea.
		Lift Height	Overall Height	Base Leg Span Inside/Outside		
15" LOAD CENTER -- 25"L. FORKS						
HESFL-56-25	1000	56"	72"	15"/21"	258	\$1690.32
HESFL-64-25	1000	64"	80"	15"/21"	266	1945.44
HESFL-76-25	1000	76"	92"	15"/21"	295	2127.48
15" LOAD CENTER -- 24" X 24" PLATFORM						
HESPL-60-2424	1000	60"	72"	15"/21"	226	1412.64
HESPL-68-2424	1000	68"	80"	15"/21"	234	1653.19
HESPL-80-2424	1000	80"	92"	15"/21"	263	1789.75
18" LOAD CENTER -- 30"L. FORKS						
HESFL-56-305	1000	56"	72"	25.5"/32"	281	1783.56
HESFL-64-305	1000	64"	80"	25.5"/32"	289	2052.00
HESFL-76-305	1000	76"	92"	25.5"/32"	322	2209.68
18" LOAD CENTER -- 32 X 30" PLATFORM						
HESPL-60-3032	1000	60"	72"	25.5"/32"	265	1705.75
HESPL-68-3032	1000	68"	80"	25.5"/32"	273	1879.87
HESPL-80-3032	1000	80"	92"	25.5"/32"	298	2154.43

Steel surcharges may apply.

Battery Powered Counterbalance Lifts

- Lift and transfer heavy loads with this battery powered lift.
- Ideal for loading and unloading trucks, positioning dies or feeding material to presses.

Remote control, floor lock and safety screen standard. With a minimally charged battery, unit can be used even while recharging. Three light LED charge status indicator included. Easy to read illuminated battery status voltmeter. Order enough weight kits for your planned load. FOB Shipping Point.



Product No.	Cap. (lbs.)	BATTERY POWERED COUNTERBALANCE LIFTS				Fork Length	Wt. (lbs.)	Price Ea.
		Lift Height	Overall Height	Load Center	Fork Length			
HPCBFL-56-25	1000	56"	72"	13"	25"	560	\$3407.63	
HPCBFL-64-25	1000	64"	82 1/2"	13"	25"	574	3417.64	
HPCBFL-76-25	1000	76"	92"	13"	25"	611	3656.76	
COUNTERBALANCE WEIGHT KITS								
Product No.	Counterweight (lbs.)	Stacker Load Cap. (lbs.)	Price Kit					
H261041	200	334	\$237.15					
H261042	400	668	442.35					
H261043	600	1000	650.03					

Battery Powered 1000 lb. to 2000 lb. Pallet Straddle & Platform Stackers

- Ideal for loading and unloading trucks, positioning dies, or feeding material to presses.
- Remote control, three light LED charge status indicator, and easy to read illuminated battery status voltmeter included.

Equipped with safety screen and floor lock. FOB Shipping Point. With a minimally charged battery, unit can be used even while plugged in and recharging.

1000 lb. Platform and Standard and Straddle Fork Units
Features 5" phenolic wheels on front, 4" phenolic swivel casters on rear.

1500 and 2000 lb. Straddle Fork Units
For minimum rolling resistance, features glass filled nylon 5" wheels on front, and 6" swivel casters on rear. Extra long 42" forks for lifting pallets. Versatile adjustable span straddle legs can be set from 34" to 50" inside dimension to handle most standard pallets. Features reinforced frame and base. Double chain, lift support. Heavy-duty pump. Ergonomic "D" handles. Features remote control, floor lock and safety screen.

5th Wheel Steering Option
For easier mobility and precision steering in confined areas. Features 8" locking polyurethane wheels. Spring loaded handle. Can be field installed.

H261099 Wt.33 (lbs.) Price Ea. \$454.61

5th wheel option for greater maneuverability available on 1500 lb. and 2000 lb. capacity models.



360

Product No.	Cap. (lbs.)	BATTERY POWERED PALLET STRADDLE & PLATFORM STACKERS			Load Center	Wt. (lbs.)	Price Ea.
		Lift Height	Base Leg Inside/Outside	Load Center			
24" X 24" PLATFORM UNITS							
HPESPL-60-2424	1000	60"	15"/21"	15"	418	\$2657.99	
HPESPL-68-2424	1000	68"	15"/21"	15"	428	2612.25	
HPESPL-80-2424	1000	80"	15"/21"	15"	457	2861.89	
30" X 32" PLATFORM UNITS							
HPESPL-60-3032	1000	60"	25.5"/32"	18"	404	2969.89	
HPESPL-68-3032	1000	68"	25.5"/32"	18"	427	3191.63	
HPESPL-80-3032	1000	80"	25.5"/32"	18"	452	3209.24	
25" STANDARD FORK UNITS							
HPESFL-56-25	1000	60"	15"/21"	15"	452	2839.61	
HPESFL-64-25	1000	68"	15"/21"	15"	460	2713.90	
HPESFL-76-25	1000	80"	15"/21"	15"	489	2825.39	
30" STRADDLE FORK UNITS							
HPESFL-56-305	1000	60"	25.5"/32"	18"	442	2819.76	
HPESFL-64-305	1000	68"	25.5"/32"	18"	456	2872.75	
HPESFL-76-305	1000	80"	25.5"/32"	18"	465	3151.13	
42" FORKS, ADJUSTABLE WIDTH BASE STRADDLE STACKERS							
HPASFL-64-42-3550S-1.5K	1500	64"	35"-50" ID Adj.	24"	587	5001.86	
HPASFL-76-42-3550S-1.5K	1500	76"	35"-50" ID Adj.	24"	652	5197.61	
HPASFL-86-42-3550S-1.5K	1500	86"	35"-50" ID Adj.	24"	703	5433.30	
HPASFL-64-42-3550S-2K	2000	64"	35"-50" ID Adj.	24"	592	5144.13	
HPASFL-76-42-3550S-2K	2000	76"	35"-50" ID Adj.	24"	657	5455.64	
HPASFL-86-42-3550S-2K	2000	86"	35"-50" ID Adj.	24"	708	5670.00	

Price valid 12-31-19.

AS SEEN
IN THE
SMO CATALOG

FULLY POWERED STACKERS



Wesco® Fully Powered Stackers

- Battery Powered System provides both propulsion and lift.
- Eliminates the stress and strain of lifting and transporting heavy loads.
- Simple to use finger-tip controls are built into steering handle.
- 180 degree hinged design allows precision steering in confined spaces.
- Spring loaded mechanism automatically compensates for uneven floors ensuring drive wheels maintain constant contact with floor.
- Automatic emergency safety switch instantly reverses direction if control post comes in contact with an obstacle.
- Heavy-duty maintenance-free sealed battery provides more than ample power for propulsion and lift.



Counter-Balance



Power Drive



Finger-tip Controls

FULLY POWERED STACKERS						
COUNTER BALANCE - 25" FORKS						
Product No.	Cap. (lbs.)	Lift Height	Base Leg In/Out	Load Center	Wt. (lbs.)	Price Ea.
HPCBFL-56-25-PD	1000	56"	15"/21"	15"	717	\$6,114.49
HPCBFL-64-25-PD	1000	64"	15"/21"	15"	734	6,317.50
HPCBFL-76-25-PD	1000	76"	15"/21"	15"	771	6,220.13
COUNTER BALANCE WEIGHT KITS (For use with counter-balance models only)						
H261041-200 LB KIT	334	N/A	N/A	N/A	200	\$237.15
H261042-400 LB KIT	668	N/A	N/A	N/A	400	442.35
H261043-600 LB KIT	1000	N/A	N/A	N/A	600	650.03
25" FORKS						
HPESFL-56-25-PD	1000	56"	15"/21"	15"	612	\$5,342.51
HPESFL-64-25-PD	1000	64"	15"/21"	15"	620	5,396.01
HPESFL-76-25-PD	1000	76"	15"/21"	15"	649	5,545.86
30" FORKS, WIDE STRADDLE						
HPESFL-56-30S-PD	1000	56"	25 1/2"/32"	18"	602	\$5,580.51
HPESFL-64-30S-PD	1000	64"	25 1/2"/32"	18"	616	5,662.64
HPESFL-76-30S-PD	1000	76"	25 1/2"/32"	18"	625	5,882.18
24" x 24" PLATFORM						
HPESPL-60-2424-PD	1000	60"	15"/21"	15"	578	\$5,185.13
HPESPL-68-2424-PD	1000	68"	15"/21"	15"	588	5,253.64
HPESPL-80-2424-PD	1000	80"	15"/21"	15"	617	5,518.75
30" x 32" PLATFORM						
HPESPL-60-3032-PD	1000	60"	25 1/2"/32"	18"	564	\$5,582.99
HPESPL-68-3032-PD	1000	68"	25 1/2"/32"	18"	587	5,843.14
HPESPL-80-3032-PD	1000	80"	25 1/2"/32"	18"	612	5,820.98
30" x 32" PLATFORM						
HPSP1-60-3032-30S-2K-PD	2000	60"	30"/36"	18"	644	\$6,940.64
HPSP1-68-3032-30S-2K-PD	2000	68"	30"/36"	18"	657	7,017.03
HPSP1-80-3032-30S-2K-PD	2000	80"	30"/36"	18"	699	7,152.64
HPSP1-90-3032-30S-2K-PD	2000	90"	30"/36"	18"	738	7,600.00
42" FORKS, ADJUSTABLE STRADDLE						
Product No.	Cap. (lbs.)	Lift Height	Inside Straddle Range	Load Center	Wt. (lbs.)	Price Ea.
HPASF1-64-42-3550S-2K-PD	2000	64"	35"/50"	24"	752	\$8,137.08
HPASF1-76-42-3550S-2K-PD	2000	76"	35"/50"	24"	817	8,283.71
HPASF1-86-42-3550S-2K-PD	2000	86"	35"/50"	24"	868	8,540.39
35" FORKS ECONOMY STACKER						
HEKS-10	2200	117 1/2"	19"/27"	18"	826	\$6,235.65

Steel surcharges may apply.



25" Forks



HEKS-10 Economy Stacker

**AS SEEN
IN THE
SMO CATALOG**

STEEL LOADING RAMPS & PLATFORMS



Yard Ramps

Bluff Yard Ramps are ideal for efficient loading and unloading of shipments at a warehouse dock, or from trucks and railcars. Choose from portable or stationary depending on the situation. Add-on options include handrails, pneumatic air-filled tires, caster wheels, adjustable legs, hinged lip, dock leveler, dock extension or a steel platform. Manufacturing time 7 working days. FOB Shipping Point.

Standard Yard Ramp Features

- Manufactured in 7 working days.
- All steel welded construction.
- Serrated steel grating for exceptional traction.
- Standard capacities from 16,000 to 30,000 lbs.
- Higher capacity ramps available up to 100,000 lbs.
- Safety chains included.
- Option of ramp clamp or tow bar with portable ramp.
- Solid rubber tires and double-action hydraulic pump on portable ramp.
- Wall-mounted chain brackets on the stationary ramp.
- Ship up to 4 ramps on one flatbed.



Product No.	Cap. (lbs.)	YARD RAMPS		Wt. (lbs.)	Price Ea.
		Width	Length		
STATIONARY					
H16SY7030NU	16000	70"	30' All-Incline	3730	\$9,933.00
H16SY8430NU	16000	84"	30' All-Incline	4464	10,800.00
H16SY9630NU	16000	96"	30' All-Incline	4988	12,509.00
H20SY7030NU	20000	70"	30' All-Incline	3934	10,278.00
H20SY8430NU	20000	84"	30' All-Incline	4670	12,627.00
H20SY9630NU	20000	96"	30' All-Incline	5502	14,148.00
H30SY7030NU	30000	70"	30' All-Incline	4601	13,453.00
H30SY8430NU	30000	84"	30' All-Incline	5186	14,240.00
H30SY9630NU	30000	96"	30' All-Incline	5950	15,405.00
PORTABLE					
H16SY7036L	16000	70"	36' With Level-Off	5171	13,571.00
H16SY8436L	16000	84"	36' With Level-Off	5828	15,117.00
H20SY7036L	20000	70"	36' With Level-Off	5816	14,794.00
H20SY8436L	20000	84"	36' With Level-Off	6084	16,450.00
H30SY7036L	30000	70"	36' With Level-Off	6020	17,327.00
H30SY8436L	30000	84"	36' With Level-Off	6750	18,885.00

Steel Platforms

• Fixed or adjustable legs.

Bluff Steel Platforms are an efficient way to create a loading dock when there's not one available on site for shipment deliveries at a warehouse or railway facility. These can be used as a free-standing setup, or can be used in conjunction with a yard ramp to increase loading capabilities. Available options include handrails, hinged lip, dock leveler, ladders or stairs. Standard capacities range from 16,000-30,000 lbs. with higher capacity options available upon request. Steel Platforms come in either a fixed height or with adjustable legs, depending on your requirements. Worksheet required to ensure proper design. Manufacturing time 10 working days. FOB Shipping Point.



Product No.	Cap. (lbs.)	STEEL PLATFORMS		Wt. (lbs.)	Price Ea.
		Width	Length		
FIXED HEIGHT - PLEASE SPECIFY					
H16SP88-FL	16000	8'	8'	2150	\$7,010.00
H16SP810-FL	16000	8'	10'	2576	9,196.00
H16SP812-FL	16000	8'	12'	2986	10,513.00
H20SP88-FL	20000	8'	8'	2359	7,845.00
H20SP810-FL	20000	8'	10'	3054	9,261.00
H20SP812-FL	20000	8'	12'	3654	11,114.00
H30SP88-FL	30000	8'	8'	2710	8,320.00
H30SP810-FL	30000	8'	10'	3357	10,952.00
H30SP812-FL	30000	8'	12'	4249	13,141.00
ADJUSTABLE HEIGHT - 39" - 63"					
H16SP88-AL	16000	8'	8'	2214	8,745.00
H16SP810-AL	16000	8'	10'	2640	10,931.00
H16SP812-AL	16000	8'	12'	3050	12,248.00
H20SP88-AL	20000	8'	8'	2423	9,579.00
H20SP810-AL	20000	8'	10'	3118	10,997.00
H20SP812-AL	20000	8'	12'	3718	12,849.00
H30SP88-AL	30000	8'	8'	2774	10,054.00
H30SP810-AL	30000	8'	10'	3421	12,686.00
H30SP812-AL	30000	8'	12'	4313	14,876.00

Container Ramps

• Safely transport loads.

The Bluff Container Ramp is used to load and unload cargo from shipping containers, while allowing for a safe transition from the ground to the bed of the shipping container. Container Ramps feature a full width stiffener that bumps up against the container to provide strength, and locking chains to easily lock the ramp into place. Standard capacities range from 15,000-30,000 lbs. with custom size options available. Manufacturing time 7 working days. FOB Shipping Point.



Surcharge may apply.

Product No.	Cap. (lbs.)	Size W x L	CONTAINER RAMPS		Wt. (lbs.)	Price Ea.
			Ht. Up Electric Forklift	Ht. Up Propane Forklift		
H15CR6048	15000	60 x 48"	5"	7"	489	\$1,262.00
H15CR6060	15000	60 x 60"	7"	9"	573	1,488.00
H15CR6072	15000	60 x 72"	8½"	11"	658	1,718.00
H15CR7248	15000	72 x 48"	5"	7"	565	1,386.00
H15CR7260	15000	72 x 60"	7"	9"	663	1,614.00
H15CR7272	15000	72 x 72"	8½"	11"	761	1,843.00
H15CR8448	15000	84 x 48"	5"	7"	641	1,550.00
H15CR8460	15000	84 x 60"	7"	9"	753	1,821.00
H15CR8472	15000	84 x 72"	8½"	11"	865	2,092.00
H20CR6048	20000	60 x 48"	5"	7"	552	1,386.00
H20CR6060	20000	60 x 60"	7"	9"	649	1,614.00
H20CR6072	20000	60 x 72"	8½"	11"	747	1,843.00
H20CR7248	20000	72 x 48"	5"	7"	639	1,550.00
H20CR7260	20000	72 x 60"	7"	9"	681	1,821.00
H20CR7272	20000	72 x 72"	8½"	11"	833	2,092.00
H20CR8448	20000	84 x 48"	5"	7"	727	1,718.00
H20CR8460	20000	84 x 60"	7"	9"	857	2,031.00
H20CR8472	20000	84 x 72"	8½"	11"	951	2,343.00

427

Price valid 12-31-19.

**AS SEEN
IN THE
SMO CATALOG**


ALUMINUM DOCK BOARDS & PLATES



Aluminum Dock Plates

• Bolt-on steel legs.

Bluff Aluminum Dock Plates offer a low-cost solution to bridging the gap between a dock and trailer, and are intended for low to medium volume loading applications using pallet jacks, hand trucks or dollies. Not intended for forklift use or for below dock loading. Bolt-on steel legs secure the dock plate while in use. Dock Plates come standard with hand holes for lifting, but EZ-Roll Handles can also be added on for additional cost. Manufactured and tested in compliance with ANSI Standard MH30.2, OSHA 1910.3 Compliant. Manufacturing time 1 working day (or 2 days with EZ Rolls). FOB Shipping Point.




ALUMINUM DOCK PLATES					
Product No.	Cap. (lbs.)	Size W x L	Height Up	Wt. (lbs.)	Price Ea.
HA3624	4000	36 x 24"	1"	47	\$249.00
HA3630	3200	36 x 30"	2"	56	298.00
HA3636	2650	36 x 36"	3"	64	349.00
HA3648	2000	36 x 48"	5"	80	447.00
HA4824	5300	48 x 24"	1"	58	331.00
HA4830	4250	48 x 30"	2"	69	381.00
HA4836	3550	48 x 36"	3"	80	431.00
HA4848	2650	48 x 48"	5"	105	530.00
HA4860	2100	48 x 60"	7"	130	630.00
HA6024	6650	60 x 24"	1"	69	381.00
HA6030	5300	60 x 30"	2"	83	447.00
HA6036	4400	60 x 36"	3"	97	515.00
HA6048	3300	60 x 48"	5"	127	647.00
HA6060	2650	60 x 60"	7"	157	779.00
HA7230	6400	72 x 30"	2"	97	547.00
HA7236	5300	72 x 36"	3"	113	630.00
HA7248	4000	72 x 48"	5"	149	796.00
HB3624	7100	36 x 24"	1"	58	291.00
HB3630	5650	36 x 30"	2"	68	349.00
HB3636	4700	36 x 36"	3"	79	405.00
HB3648	3550	36 x 48"	5"	106	522.00
HB4824	9450	48 x 24"	1"	72	398.00
HB4830	7550	48 x 30"	2"	86	473.00
HB4836	6300	48 x 36"	3"	101	547.00
HB4848	4700	48 x 48"	5"	133	696.00
HB4860	3750	48 x 60"	7"	164	845.00
HB6024	11850	60 x 24"	1"	86	473.00
HB6030	9450	60 x 30"	2"	104	564.00
HB6036	7900	60 x 36"	3"	122	654.00
HB6048	5900	60 x 48"	5"	163	838.00
HB6060	4700	60 x 60"	7"	200	1,020.00
HB7230	11350	72 x 30"	2"	122	771.00
HB7236	9450	72 x 36"	3"	144	887.00
HB7248	7100	72 x 48"	5"	190	1,119.00



Aluminum Dock Boards

• Lightweight.


Bluff Aluminum Dock Boards are ideal for low to medium volume dock loading applications, and are designed for use with forklifts or pallet jacks. A lightweight alternative to steel dock boards, the aluminum boards are available in capacities from 10,000-15,000 lbs. Add-on options include EZ Roll arms, lifting chains or speedy board cutouts. Manufactured and tested in compliance with ANSI Standard MH30.2. Manufacturing time 1 working day (or 2 with EZ Rolls). FOB Shipping Point.



EZ ROLL ATTACHMENTS FOR ALUMINUM DOCK PLATES			
Product No.	Description	Wt. (lbs.)	Price Per Pair
HEZ35-L & EZ35-R	For 36"L. Dock Boards/Plates	42 per pair	\$350.00
HEZ40-L & EZ40-R	For 42" or 48"L. Dock Boards/Plates	46 per pair	350.00
HEZ47-L & EZ47-R	For 54" or 60"L. Dock Boards/Plates	50 per pair	372.00
HEZ52-L & EZ52-R	For 66", 72" or 78"L. Dock Boards/Plates	58 per pair	392.00

Spring Loaded Dock Plates

Bluff's Spring Loaded Dock Plate (SL Plates) is an ideal solution for loading applications involving hand trucks and dollies, and is typically used by customers in bakery, beverage and snack distribution industries. The SL Plate is vertically stored and easily actuated by hand or foot. Available options include kick plate covers and traction tape. Not for use with powered equipment. Each SL Plate is site-specific and requires a completed worksheet to design - call for pricing. Manufacturing time 6 working days. Patent # US D633,684 S. FOB Shipping Point.



Surcharge may apply.

ALUMINUM DOCK BOARDS						
Product No.	Cap. (lbs.)	Size W x L	Ht. Up Electric Forklift	Ht. Up Propane Forklift	Wt. (lbs.)	Price Ea.
HAC6036	10000	60 x 36"	3"	5"	127	\$735.00
HAC6048	10000	60 x 48"	5"	7"	163	924.00
HAC6060	10000	60 x 60"	7"	9"	202	1,101.00
HAC6072	10000	60 x 72"	8 1/2"	11"	253	1,250.00
HAC7236	10000	72 x 36"	3"	5"	136	873.00
HAC7248	10000	72 x 48"	5"	7"	179	1,082.00
HAC7260	10000	72 x 60"	7"	9"	225	1,268.00
HBC6036	15000	60 x 36"	3"	5"	145	945.00
HBC6048	15000	60 x 48"	5"	7"	201	1,176.00
HBC6060	15000	60 x 60"	7"	9"	247	1,418.00
HBC6072	15000	60 x 72"	8 1/2"	11"	304	1,602.00
HBC7236	15000	72 x 36"	3"	5"	167	1,056.00
HBC7248	15000	72 x 48"	5"	7"	220	1,337.00
HBC7260	15000	72 x 60"	7"	9"	277	1,616.00

ADD-ON OPTIONS FOR ALUMINUM DOCK BOARDS			
Product No.	Description	Wt. (lbs.)	Price Per Pair
HEZ35-L & HEZ35-R	For 36"L. Dock Boards/Plates	42 per pair	\$350.00
HEZ40-L & HEZ40-R	For 42" or 48"L. Dock Boards/Plates	46 per pair	350.00
HEZ47-L & HEZ47-R	For 54" or 60"L. Dock Boards/Plates	50 per pair	372.00
HEZ52-L & HEZ52-R	For 66", 72" or 78"L. Dock Boards/Plates	58 per pair	392.00
HACL	Lifting Chains w/Fasteners	11	78.00

**AS SEEN
IN THE
SMO CATALOG**

STEEL DOCK BOARDS & LEVELERS



Steel Dock Boards

• Fully welded design.

Rated for forklift use, Bluff Steel Dock Boards provide an easy transition from dock to truck. The fully-welded design aids in safely loading and unloading freight and are available in standard capacities from 15,000 to 40,000 lbs. All steel dock boards are manufactured and tested in compliance with ANSI Standard MH30.2 and are OSHA 1910.3 compliant. Manufacturing time 5-7 working days. FOB Shipping Point.



Rail Boards

Bluff Rail Boards are a way to bridge the gap between a dock and railcar for safe loading and unloading of shipments. They are custom designed to meet the unique specifications of each dock site, and can work successfully with any type of railcar. Lifting loops and locking rings make the Rail Board easy to place and secure before driving across it with a forklift. Available capacities range from 15,000-90,000 lbs. All-welded steel construction. Worksheet required to design - call for pricing. Manufacturing time 10-12 working days. FOB Shipping Point.



STEEL DOCK BOARDS						
Product No.	Cap. (lbs.)	Size W x L	Ht. Up Electric Forklift	Ht. Up Propane Forklift	Wt. (lbs.)	Price Ea.
H10SC6036	10000	60 x 36"	3"	5"	207	\$793.00
H10SC6048	10000	60 x 48"	5"	7"	276	958.00
H10SC6060	10000	60 x 60"	7"	9"	345	1,180.00
H10SC6072	10000	60 x 72"	8½"	11"	510	1,295.00
H10SC7236	10000	72 x 36"	3"	5"	298	906.00
H10SC7248	10000	72 x 48"	5"	7"	392	1,160.00
H10SC7260	10000	72 x 60"	7"	9"	486	1,316.00
H15T6048	15000	60 x 48"	5"	7"	439	1,220.00
H15T6060	15000	60 x 60"	7"	9"	523	1,470.00
H15T6072	15000	60 x 72"	8½"	11"	607	1,662.00
H15T7248	15000	72 x 48"	5"	7"	506	1,386.00
H15T7260	15000	72 x 60"	7"	9"	605	1,676.00
H15T7272	15000	72 x 72"	8½"	11"	703	1,843.00
H20T6048	20000	60 x 48"	5"	7"	490	1,384.00
H20T6060	20000	60 x 60"	7"	9"	605	1,614.00
H20T6072	20000	60 x 72"	8½"	11"	684	1,843.00
H20T7248	20000	72 x 48"	5"	7"	568	1,550.00
H20T7260	20000	72 x 60"	7"	9"	682	1,821.00
H20T7272	20000	72 x 72"	8½"	11"	795	2,092.00




Edge of Dock Levelers

Bluff's Edge of Dock Leveler provides an easy way to correct the height difference between a dock and trailer bed. With a working range of 5" above and 5" below dock, it accommodates most loading applications. The leveler is positioned by lifting and pulling the handle to the dock floor, and then the latch assembly activates the lip, projecting it forward onto the bed of the trailer as the handle is lifted. When released, the handle automatically returns to its stored position. Conforms to ANSI MH30.1 Standards. Manufacturing lead time 7 working days. FOB Shipping Point.

Edge of Dock Leveler Features

- Capacities from 20,000 to 30,000 lbs.
- Available widths of 66", 72", and 78".
- Self-Storing handle.
- Bumper and bumper blocks included.
- Optional add-ons include: anchor kit, approach plate, longer lip for refrigerated trucks, steel faced bumpers and hydraulic package.



EDGE OF DOCK LEVELERS					
Product No.	Cap. (lbs.)	Usable Width	Overall Width	Wt. (lbs.)	Price Ea.
H20EP66	20000	66"	88"	448	\$1,133.00
H20EP72	20000	72"	94"	476	1,237.00
H20EP78	20000	78"	100"	504	1,496.00
H25EP66	25000	66"	88"	509	1,303.00
H25EP72	25000	72"	94"	542	1,393.00
H25EP78	25000	78"	100"	576	1,568.00
H30EP66	30000	66"	88"	509	1,506.00
H30EP72	30000	72"	94"	542	1,585.00
H30EP78	30000	78"	100"	576	1,668.00

OPTIONS FOR EDGE OF DOCK LEVELERS			
Product No.	Description	Wt. (lbs.)	Price Ea.
HEPAP12	Approach Plate 120"W x 12"L	164	\$289.00
HEPAP24	Approach Plate 120"W x 24"L	328	493.00
HEPAP1	Anchor Kit for Approach Plate Only	3	78.00
HEPAP2	Anchor Kit for EOD Only	6	103.00
HEPAP3	Anchor Kit for EOD + Approach Plate	7	148.00
HEPHYDRAULIC	Hydraulic Package for EOD	55	1,635.00

Surcharge may apply.

429

Price valid 12-31-19.

**AS SEEN
IN THE
SMO CATALOG**

SAFETY RAILS & GUARDS



Tuff Guard Safety Railing

Bluff Tuff Guard safety railing greatly improves plant safety and efficiency by reducing costs associated with employee injury, machinery down time and building repairs due to accidental collisions. Tuff Guard is an efficient way of protecting machinery, in-plant offices, personnel, aisle ways, electrical panels, tool cribs, conveyors, shelving, receiving docks, cooling equipment and parking areas. Manufacturing time 5-15 working days, depending on quantity. FOB Shipping Point.

Tuff Guard Safety Rail Specifications

- POSTS**
- 4" x 4" x 3/8" structural steel square tubing posts.
 - Standard post heights: 18", 30", and 42"
 - Anchors provided.
 - Safety Yellow powder coat finish is standard, with other colors available upon request: orange, blue, black and gray.
 - Call for quantity discounts or help with special projects.

- RAILS**
- Formed 10 gauge steel rails in lengths from 1' to 12'.
 - With proper installation, railing can withstand impacts of up to a 10,000 pound load at 6 mph.
 - Fasteners provided.
 - Optional lift-out attachment available.
 - Safety Yellow powder coat finish is standard: orange, blue, black and gray available - no upcharge.
 - Call for quantity discounts or help with special projects.
 - Custom lengths available.



TUFF GUARD SAFETY RAILING			
Product No.	Description	Wt. (lbs.)	Price Ea.
HTGR2	2' Rail w/Fasteners	20	\$69.00
HTGR3	3' Rail w/Fasteners	27	90.00
HTGR4	4' Rail w/Fasteners	35	108.00
HTGR5	5' Rail w/Fasteners	42	120.00
HTGR6	6' Rail w/Fasteners	49	133.00
HTGR7	7' Rail w/Fasteners	57	158.00
HTGR8	8' Rail w/Fasteners	64	162.00
HTGR9	9' Rail w/Fasteners	72	176.00
HTGR10	10' Rail w/Fasteners	79	185.00
HTGR11	11' Rail w/Fasteners	87	204.00
HTGR12	12' Rail w/Fasteners	94	223.00
HTGP18	18" Tall Inline/End Post	24	92.00
HTGP18-C	18" Tall Corner Post	24	96.00
HTGP42	42" Tall Inline/End Post	44	127.00
HTGP42-C	42" Tall Corner Post	44	130.00
HTGL	Rail Lift-Out Attachment (Pair)	18	75.00
HTGAA	Rail 45 Deg. Angle Attachment	10	39.00

Modular Protective Barriers

Bluff's Modular Protective Barrier safety railing offers an inexpensive and simple solution for protecting personnel by creating in-plant walkways that act as a barrier between man and machine. Not rated for forklift impact. Lift-out rail design allows for quick and safe temporary access to areas when necessary. Manufacturing time 5-15 working days, depending on quantity. FOB Shipping Point.

Specifications

- 20" or 42" high posts (single or double high railing).
- 2" x 2" x 11 gauge steel tubing rails.
- 3" x 3" x 11 gauge steel tubing columns.
- Installation hardware not included.
- Floor rail option available.
- Safety Yellow powder coat finish is standard: orange, blue, black and gray available - no upcharge.
- Call for quantity discounts or help with special projects.
- Custom lengths available.




MODULAR PROTECTIVE BARRIERS			
Product No.	Description	Wt. (lbs.)	Price Ea.
HMPBR2	2' Rail	9	\$65.00
HMPBR3	3' Rail	13	78.00
HMPBR4	4' Rail	18	89.00
HMPBR5	5' Rail	23	104.00
HMPBR6	6' Rail	27	115.00
HMPBR7	7' Rail	32	120.00
HMPBR8	8' Rail	37	128.00
HMPBR9	9' Rail	42	139.00
HMPBR10	10' Rail	46	148.00
HMPBP20	20" Tall Inline Post	15	96.00
HMPBP20E	20" Tall End Post	14	96.00
HMPBP20C	20" Tall Corner Post	15	96.00
HMPBP42D	42" Tall Inline Post	25	127.00
HMPBP42DE	42" Tall End Post	24	127.00
HMPBP42DC	42" Tall Corner Post	25	127.00

Pipe Guards

- Custom designs available.

Bluff's Pipe Guards are designed to protect exposed pipes, conduits, ducts and downspouts from vehicle and forklift damage. Standard models are 36" tall wall-mounted guards built using 3/8" thick steel, and designed for pipe diameters ranging from 2" to 12". If the pipe is located off the wall, or there are multiple pipes in question, a complete worksheet is required for proper design. Powder coated safety yellow, but also available in blue, gray, black and orange - no upcharge. Hardware not included. Manufacturing time 5-15 days, depending on quantity. FOB Shipping Point.



PIPE GUARDS				
Product No.	Height	Fits Pipe Size	Wt. (lbs.)	Price Ea.
HPGWM436	36"	4"	42	\$126.00
HPGWM636	36"	6"	56	168.00
HPGWM836	36"	8"	66	198.00
HPGWM1036	36"	10"	77	231.00
HPGWM1236	36"	12"	87	261.00
HPGWM446	46"	4"	53	159.00
HPGWM646	46"	6"	71	213.00
HPGWM846	46"	8"	85	255.00
HPGWM1046	46"	10"	98	294.00
HPGWM1246	46"	12"	112	336.00

Surcharge may apply.


447

Price valid 12-31-19.

Proudly Manufacturing in the USA



**WESCO
HEAVY DUTY
AUTO-REWIND
APPLIANCE TRUCK**



**BLUFF
EDGE OF DOCK
LEVELER**



**WESCO
POWERED STACKER**



**BLUFF TUFF GUARD
SAFETY RAIL**



**BLUFF MODULAR
PROTECTIVE BARRIER**



**WESCO
20BT DRUM
TRUCK**



**BLUFF
MACHINE GUARD**



**BLUFF ALUMINUM
DOCK BOARDS**



**WESCO DM-1100
HIGH REACH
ERGONOMIC DRUM HANDLER**